



GL SERIES

TWO SHAFT SHREDDERS



GL SERIES TWO SHAFT SHREDDERS

The GL Series two shaft shredders are heavy duty machines designed for industrial applications and can be configured to efficiently process a wide range of materials.

Our machines are developed to the highest standard using state of the art technology, ensuring you have a machine that is reliable and efficient.

The GL Series shredders are available in a wide range of sizes and configurations and can be customised to suit your required throughput and sizing.

We can also assist with the development of supply infeed, discharge and plant solutions to integrate with your shredder.

BENEFITS

- Auto-reverse self protect functionality
- Reliable & durable construction
- Easy maintenance
- Suitable for processing multiple products
- Safe & easy operation
- Variety of hook designs available

APPLICATIONS

A wide variety of applications include:

- Tyres
- E-waste
- Pallets
- Paper
- Drums
- MSW/RDF
- Product Destruction
- Wood
- Bottles/Cans
- Newsprint



FEATURES THAT GUARANTEE **HIGH PERFORMANCE**

KEY FEATURES



Rotating Screen

To enable sizing of the output product, the rotating screen is designed to feed oversized material back into the shredding chamber for further shredding to the correct product size.




Hydraulic Drive System

The hydraulic drive system as opposed to the conventional direct motor drive systems is a huge user benefit; designed to operate in the harshest applications. The hydraulic drive increases torque and the shredder speed can be increased without excessive current peaks whilst the probability of machine damage is substantially reduced.



Hydraulic Pusher

When shredding bulky materials such as plastic drums, the hydraulic pusher is recommended to force-feed the material through the shredder. This system also maximises throughput and performance.



Blade Variations

To ensure durability and flexibility, we can offer different kinds of blades according to different material.

BLADE TYPES

The blade design and configuration can be specified to suit individual applications and optimise the durability and longevity of the cutting system. The correct selection of blades is essential to the correct performance of the shredder.



Single-hook Blade



Two-hook Blade



Four-hook Blade



Six-hook Blade



SPECIFICATIONS

Model Item	Dimension L/W/H (mm)	Cutting Chamber L/W (mm)	Number of Cutters (pcs)	Cutter Thickness (mm)	Main Motor Power (kw)	Weight (kg)
GL2130	1910 x 1030 x 911	310 x 470	15	20	7.5	950
GL2140	2010 x 1030 x 1911	410 x 470	20	20	7.5	1500
GL2160	2820 x 1030 x 1911	610 x 470	30	20	5.5 + 5.5	2100
GL2180	3040 x 1030 x 1911	810 x 470	40	20	7.5 + 7.5	2400
GL3280	3250 x 1346 x 2275	812 x 736	20	40	15 + 15	3700
GL32100	3450 x 1346 x 2275	1012 x 736	25	40	22 + 22	4100
GL32120	3650 x 1946 x 2275	1212 x 736	30	40	22 + 22	4500
GL40100	4074 x 1770 x 3465	1024 x 948	20	50	37 + 37	6500
GL40130	4374 x 1770 x 3765	1324 x 948	26	50	45 + 45	8700
GL40160	4674 x 1770 x 3765	1624 x 948	32	50	45 + 45	9200
GL50130	4670 x 1866 x 3905	1312 x 1206	26	50	55 + 55	12800
GL50180	5170 x 1866 x 3905	1812 x 1206	36	50	55 + 55	13600
GL61180	5404 x 2404 x 3746	1812 x 1490	24	75	75 + 75	20200

*Please note: Specifications are indicative only and may be subject to change without notice. Equipment is sold with an operation manual and risk assessments relating to the equipment as supplied. It is the responsibility of the purchaser to conduct their own assessments and determine the suitability of the equipment for the intended use. Other models and custom builds available on request.