

Specifications



#### **Features**

- Fast Transformation: Converts food waste into grey water within 24 hours.
- Proprietary Aerobic Technology; ExBio Enzyme 159
  Catalyst and Bio Star Accelerator
- High stirring efficiency, ensuring effective decomposition of waste.
- Digital touch panel enables real time monitoring through of ingested and digested food quantity
- Safe and easy operation with minimal maintenance
- Sealed shaft technology to prevent leakage and contamination.
- Drainage feature to remove excess liquid and maintain optimal conditions.
- · All stainless steel construction
- Automation and safety features such as auto access doors, emergency switches and monitoring alarms.
- The larger capacity series boasts additional features such as an auto bin lift, check doors, access door for easy cleaning, high-pressure water pump, emergency stop, and breaker box access.

### **Dimensions**

Width	2610 mm
Depth	1450 mm
Height	1772 mm
Max height (bin raised)	2527 mm
Weight (no load)	1390 kg
Power Supply	20 A - 3 Phase
Rated Power Consumption	5.65 Kw

### Capacity

Load capacity	1000 kg
Bio Star™ Accelerator	700 L
ExBio Enzyme 159	10 L













Specifications









Size Comparison



Power Supply 20 A - 3 Phase



**Waste Type** Organic food waste



**Load Capacity** 1000 kg



Enzyme 10 L (20 bottles)







Specifications





#### **Features**

- Fast Transformation: Converts food waste into grey water within 24 hours.
- Proprietary Aerobic Technology; ExBio Enzyme 159
  Catalyst and Bio Star Accelerator
- High stirring efficiency, ensuring effective decomposition of waste.
- Digital touch panel enables real time monitoring through of ingested and digested food quantity
- Safe and easy operation with minimal maintenance
- Sealed shaft technology to prevent leakage and contamination.
- Drainage feature to remove excess liquid and maintain optimal conditions.
- · All stainless steel construction
- Automation and safety features such as auto access doors, emergency switches and monitoring alarms.
- The larger capacity series boasts additional features such as an auto bin lift, check doors, access door for easy cleaning, high-pressure water pump, emergency stop, and breaker box access.

### **Dimensions**

Width	3340 mm
Depth	1730 mm
Height	2155 mm
Max height (bin raised)	2973 mm
Weight (no load)	2740 kg
Power Supply	32 A - 3 Phase
Rated Power Consumption	10.1 Kw

### Capacity

Load capacity	2000 kg
Bio Star™ Accelerator	1600 L
ExBio Enzyme 159	20 L













Specifications









Size Comparison



**Power Supply** 32 A - 3 Phase



**Waste Type** Organic food waste



**Load Capacity** 2000 kg



Enzyme 20 L (40 bottles)







Specifications





#### **Features**

- Fast Transformation: Converts food waste into grey water within 24 hours.
- Proprietary Aerobic Technology; ExBio Enzyme 159
  Catalyst and Bio Star Accelerator
- High stirring efficiency, ensuring effective decomposition of waste.
- Digital touch panel enables real time monitoring through of ingested and digested food quantity
- Safe and easy operation with minimal maintenance
- Sealed shaft technology to prevent leakage and contamination.
- Drainage feature to remove excess liquid and maintain optimal conditions.
- · All stainless steel construction
- Automation and safety features such as auto access doors, emergency switches and monitoring alarms.
- The larger capacity series boasts additional features such as an auto bin lift, check doors, access door for easy cleaning, high-pressure water pump, emergency stop, and breaker box access.

### **Dimensions**

Width	4020 mm
Depth	2071 mm
Height	2319 mm
Max height (bin raised)	3010 mm
Weight (no load)	4156 kg
Power Supply	32 A - 3 Phase
Rated Power Consumption	14.5 Kw

### Capacity


Load capacity	3000 kg
Bio Star™ Accelerator	2100 L
ExBio Enzyme 159	30 L








Specifications





Size Comparison



Power Supply 32 A - 3 Phase



**Waste Type** Organic food waste



**Load Capacity** 3000 kg



Enzyme 30 L (60 bottles)







Specifications





#### **Features**

- Fast Transformation: Converts food waste into grey water within 24 hours.
- Proprietary Aerobic Technology; ExBio Enzyme 159
  Catalyst and Bio Star Accelerator
- High stirring efficiency, ensuring effective decomposition of waste.
- Digital touch panel enables real time monitoring through of ingested and digested food quantity
- Safe and easy operation with minimal maintenance
- Sealed shaft technology to prevent leakage and contamination.
- Drainage feature to remove excess liquid and maintain optimal conditions.
- · All stainless steel construction
- Automation and safety features such as auto access doors, emergency switches and monitoring alarms.
- The larger capacity series boasts additional features such as an auto bin lift, check doors, access door for easy cleaning, high-pressure water pump, emergency stop, and breaker box access.

### **Dimensions**

Width	4620 mm
Depth	2520 mm
Max depth (bin extended)	2606 mm
Height	2777 mm
Max height (bin raised)	3580 mm
Weight (no load)	7150 kg
Power Supply	50 A - 3 Phase
Rated Power Consumption	20.1 Kw

### Capacity

Load capacity	5000 kg
Bio Star™ Accelerator	3500 L
ExBio Enzyme 159	50 L












Specifications







Size Comparison



Power Supply 50 A - 3 Phase



**Waste Type** Organic food waste



**Load Capacity** 5000 kg



Enzyme 50 L (100 bottles)









Specifications





#### **Features**

- Fast Transformation: Converts food waste into grey water within 24 hours.
- Proprietary Aerobic Technology; ExBio Enzyme 159
  Catalyst and Bio Star Accelerator
- High stirring efficiency, ensuring effective decomposition of waste.
- Digital touch panel enables real time monitoring through of ingested and digested food quantity
- Safe and easy operation with minimal maintenance
- Sealed shaft technology to prevent leakage and contamination.
- Drainage feature to remove excess liquid and maintain optimal conditions.
- · All stainless steel construction
- Automation and safety features such as auto access doors, emergency switches and monitoring alarms.
- The larger capacity series boasts additional features such as an auto bin lift, check doors, access door for easy cleaning, high-pressure water pump, emergency stop, and breaker box access.

### **Dimensions**

Width	5632 mm
Depth	3018 mm
Height	3572 mm
Max height (bin raised)	4168 mm
Weight (no load)	12600 kg
Power Supply	63 A - 3 Phase
Rated Power Consumption	36.3 Kw

### Capacity

Load capacity	10000 kg
Bio Star™ Accelerator	7000 L
ExBio Enzyme 159	100 L













Specifications


Dimensions and technical information without obligation. Subject to change.











Size Comparison



Power Supply 63 A - 3 Phase



**Waste Type** Organic food waste



**Load Capacity** 10000 kg



Enzyme 100 L (200 bottles)





