

Eagle International Super Slicer

Specifications

The **Eagle Super Slicer** is a versatile sidewall cutter designed to efficiently remove sidewalls and beads from car and truck tires with an outside diameter of up to 44 inches. This machine allows for the repurposing of worn-out tyres; sidewalls can be utilised as weights for silage or feed pit covers, while the tread can be transformed into bumpers for boat or loading docks.

An optional tread cutter attachment can be added to the unit for reducing tread size. Safety is a priority with the Eagle Super Slicer, featuring a protective shroud that keeps the operator at a safe distance while offering a clear view of the cutting action.



Features

- Hydraulic bead adjustment
- Hardened alloy, serrated blade
- Portable and stationary configurations
- No manual lifting of tyres simply roll onto the hydraulically powered tyre lift
- Average cycle time 10 seconds

Options

• Electric, gas, or diesel power options



Specifications

	Mobile	Stationary
Power	Optional	
Diesel	23 HP Isuzu	
Gas	20 HP Kohler	
Electric	15 HP	
Weight	966 kg	839 kg
Height	1 580 mm	1580 mm
Width	1 700 mm	1 520 mm
Length	3 680 mm	2 380 mm
Hitch	2" Std Ball	-
Axles	Single	-
Suspension	Rubber Torsion	-
Max Tyre Capacity	44" O.D. Truck Tyres	
Av. Cycle Time	12 Seconds/Truck Tyres	
Av. Cycle Time	8 Seconds/Car Tyres	
Av. Hourly Production	50-60 Truck Tyres/Hour	
Av. Hourly Production	44" O.D. Truck Tyres	
Hydraulic Pressure	2,500 psi	
Tread Cutter Attachment		
Dimensions	1041.4 x 469.9 x 914.4 mm	
Weight	121 kg	
Cycle Time	3-5 Seconds	
Capacity	up to 120 tyres/hour	







